RHIC Machine/Detector Planning Meeting

2 Jun 05

Agenda

- **205x205 GeV pp setup – status report, outlook (Bai)**
- **Experiments Plans/Comments/Discussion/Decide on Physics Run (All)**
- **PHOBOS Proposal for ~ 4 hours 100x100 pp**
  - **The proposal (Steinberg)**
  - **How we might accommodate the request (Bai)**
- **Other business**

Planning Meeting Web Site: http://www.c-ad.bnl.gov/esfd/RMEM/rhic_planning.htm

RHIC Machine/Detector Planning Meeting

- **Details – as run/planned**

  - ***11 Jan – Physics with Cu-Cu began***
  - ***7 Mar (0800) – end 200 GeV/n Cu-Cu***
  - ***7-9 Mar – Setup 62.4 GeV/n Cu-Cu***
  - ***9-15 Mar - 62.4 GeV/n Cu-Cu Physics***
  - ***10 March – Physics begins***
  - ***15 Mar – 8 hours at injection energy 10 March – Physics begins***
  - ***15-22 (1400) Mar - 62.4 GeV/n Cu-Cu Physics***
  - ***22 (1400)-24 (0800) March Cu-Cu Physics at RHIC Injection***
  - **24 Mar (0800) – End of 10.3 week Cu-Cu run, 8 hr maintenance**
  - ***24-30 Mar – begin 3 week pp setup***
  - **30 Mar - 1 Apr 05 Cold Snake/Jet Installation/CNI etc**
  - ***1-16 Apr – complete 3 week pp setup*** *(7 April, overnight stores for experiments started)*
  - ***17 Apr – Begin 10.0 week pp Physics run***
  - ***31 May – Begin 410 GeV pp setup***
  - ***2-3 June – 2 shifts Physics at 410 GeV (?)***
  - ***3 June – Back to 200 GeV pp***
  - **25 Jun – end pp run, RHIC Run 5 ends**
  - **30 Jun – Cryo switch to LN_2 complete, *32.0* weeks of RHIC cryo operation ends**


Run5 RHIC pp Delivered (Physics) Integrated Luminosity
BRAHMS
STAR
PHENIX
L(min)
L(max)
Integrated Luminosity [pb -1]
22.0
20.0
18.0
16.0
14.0
12.0
10.0
8.0
6.0
4.0
2.0
0.0
4/16/2005
4/23/2005
4/30/2005
5/7/2005
5/14/2005
5/21/2005
5/28/2005
6/4/2005
6/11/2005
6/18/2005
6/25/2005



* Sum of transverse and longitudal polarization luminosities > 40% p[olarization



* Sum of transverse and longitudal polarization luminosities


Run5 RHIC pp Delivered (Physics) Integrated Luminosity x $P_B^2 x P_Y^2$
STAR
PHENIX
p4L(min)
p4L(max)
P^4L [nb^{-1}]
400.0
300.0
200.0
100.0
0.0
4/16/2005
4/23/2005
4/30/2005
5/7/2005
5/14/2005
5/21/2005
5/28/2005

as of 31 May

BNL Energy Use FY 2004-5

(C-AD Bldg power is in site base)



RHIC Machine/Detector Planning Meeting

Archive

RHIC Machine/Detector Planning Meeting

- ***RHIC Run5 As Run/Plan***

  - **18 Nov 04 – Cool down begins**
  - **23 Nov 04 – Blue Ring Cold**
  - **28 Nov 04 – Yellow Cold**
  - **29 Nov 04 – Short in D6-D8 dipoles Yellow Ring, schedule delay**
  - **3 Dec 04 – quad bus-bus short in sector 12, shutdown to repair**
  - **27 Dec 04 – short problem resolved, rings at 4 degrees again**
  - **27 Dec 04 - "2 week" RHIC setup with beam began**
  - **28-29 Dec 04 – found & fixed aperture problem in Yellow Ring (Al foil)**
  - ***5 Jan 05 – "2 week" ramp-up with colliding beams began***

400 GeV pp Run Issue 20 Apr 05

Summary of discussion to date (Y. Makdisi)

- **Machine issues**
  - **3 days to setup ramps**
  - **3+ days to establish adequate polarization**
  - **Can start mid-May, before PAC meeting (3rd week of May) or after the PAC meeting**
  - **Prefer 1.5 day PHOBOS physics at end of 200 GeV pp run**

- **Experiments issues**
  - **PHOBOS – strong advocate for short physics run, above schedule OK**
  - **STAR – decide after pp physics is established, priority is to integrate 4-6 pb^{-1} of delivered luminosity (P>35%) at expense of 400 GeV development run if necessary**
  - **PHENIX – priority is to integrate 1.5 pb^{-1} of recorded luminosity (P>45%) before development run and push 1 day PHOBOS physics run to end of 200 GeV pp run**
  - **BRAHMS – does not plan to run**

- **Status:**
  - **Decision will be made at a later date**

Experiment Goals RHIC Run 5, 100x100 GeV pp

- **BRAHMS**
  - Began physics 17 April
  - Goal 5 pb^{-1} transverse polarized (>45%) delivered

- **PHENIX**
  - Began min-bias physics 17 April, main physics 19 April
  - Goal 5.5 pb^{-1}recorded Luminosity with 45% polarization, 20 pb^{-1} delivered
  - Translates to: $P_B^2P_Y^2\boldsymbol{L}$ goal 226 nb^{-1} recorded
  - Translates to: $P_B^2P_Y^2\boldsymbol{L}$ goal 226 nb^{-1}/(0.45*0.6) = 837 nb^{-1} delivered

- **STAR**
  - Began physics 17 April
  - Goal ~ 20 Mevts min-bias (~70 hrs)
  - Goal ~ 7 pb^{-1} longitudal polarized (>40%) collisions, 14 pb^{-1} delivered (useable)
  - Goal ~ 4 pb^{-1} transverse polarized (>40%) collisions, 8 pb^{-1} delivered (useable)

Experiment Goals RHIC Run 5, 100x100 GeV/n CuCu, Summary of Results (3/23/05 update)

- **BRAHMS**
  - Soft physics goal 0.8 nb^{-1} recorded, achieved 0.8 nb^{-1} → 100% of goal
  - High-Pt goal 2.4 nb^{-1} recorded, achieved 1.75 nb^{-1} → 73% of goal
- **PHENIX**
  - Integrated recorded luminosity goal (live BBCLL1) 2.9 nb^{-1}, achieved 3.06 nb^{-1} → 105% of goal
- **PHOBOS**
  - Goal 1000M events to tape, achieved 500M → 50% of minimum goal
  - Minimum Goal 400M events to tape, achieved 500M → 125% of minimum goal
- **STAR**
  - Min bias, Goal 80M events, recorded 64.5M events → 80% of goal
  - High Pt Trigger (BEMC HT18), Goal to sample 1-2 nb^{-1}, recorded >1 nb^{-1} → 100% of goal

Experiment Goals RHIC Run 5, 31.2 x31.2 GeV/n and 11.2x11.2 GeV/n CuCu and Final Results (3/30/05)

- **BRAHMS**
  - 62 GeV, Integrated Recorded Luminosity Goal 90 μb^{-1}
    Actual recorded luminosity 120 μb^{-1} (133% of goal)
  - 22 GeV, Goal 1.5M FFS triggers recorded
    Actual recorded 1.9M triggers (126% of goal)

- **PHENIX**
  - 62 GeV, Integrated Delivered Luminosity Goal = 250 μb^{-1}
    Integrated Recorded Luminosity Goal 92 μb^{-1}
    Actual recorded luminosity 190 μb^{-1} (206% of goal)
  - 22 GeV, ~20M recorded events
    Actual recorded 23.8M events (119% of goal)

- **PHOBOS**
  - 62 GeV, Goal 250M events to tape, minimum Goal 100M events
    Actual recorded 115M events (115% of minimum goal)
  - 22 GeV, Goal 8M events to tape
    Actual recorded 20M events (250% of goal)

- **STAR**
  - 62 GeV, Min bias, Goal >20M events to tape
    Actual recorded 27.3M events (136% of goal)
  - 22 GeV, Min bias, Goal >1M events to tape
    Actual recorded 3.85M events (385% of goal)

RHIC Machine/Detector Planning Meeting

17 November 2004

PAC Recommendations (very short summary):

- 8-10 week pp run should have highest priority
- Cu-Cu run should accumulate an integrated delivered luminosity of at least 7 nb^{-1} at $\sqrt{s}$ = 200 GeV
- Cu-Cu at $\sqrt{s}$ = 62.4 GeV and 1 day at injection is advisable if above goals are met
- 1-2 day pp (unpolarized) run at $\sqrt{s}$ = 400-500 GeV desirable

RHIC Run 5 (22 GeV) Final Delivered Cu-Cu Luminosity





Total = 205.5 hours
0130 10 Mar – 1330 22 Mar = 300 clock hours
68.5% or 115 hrs/week average

RHIC Run 5 (62 GeV) Final Delivered Cu-Cu Luminosity



RHIC Run 5 Final Delivered 100x100 GeV/n Cu-Cu Luminosity



RHIC Machine/Detector Planning Meeting



http://www.c-ad.bnl.gov/estd

C-A Operations-FY05

22 Feb 05

Schedule - subject to change

pending approval/funding
schedule to be determined
setup/ramp up luminosity



as of 31 May

BNL Energy Use FY 2005

(C-AD Bldg power is in site base)



RHIC Machine/Detector Planning Meeting

17 November 2004

Purpose of this meeting:

- To address issues and priorities relating to the optimization of physics output from RHIC experiments.

- To discuss and promulgate policy (when needed).